


NAME: LED Parking Garage Light

P/N: TS-PG02-55WAANA1-aaK

Note: "aa" in P/N represents CCT, can be 27, 30, 35, 40, 45, 50, 57, 65.

### Advantage:

- UL certificate.
- IP65 Internal driver, Input voltage 100-277Vac.
- Output constant current lever can be adjusted through output cable with 0-10V.
- No UV or IR in the beam.
- Easy to install and operate.
- Energy saving, Long lifespan.
- Light is soft and uniform, Safe to eyes.
- Instant start, NO flickering, NO humming.
- Green and eco-friendly without mercury.



### Application:

- ◆ Widely used in gas station, service station, underground parking lot, warehouse, garage;
- ◆ Work floor, factory and so on.

**Product Specifications**

Product name	LED Parking Garage Light
Part No	TS-PG02-55WAANA1-aaK
Dimension	227*227*115 MM

**Technical Characteristic**

Color temperature	2700-6500 K
CRI	>80
Lumen	6300-7200 LM
Lumen Efficacy	115-130 LM/W
Input Power	55 W
Input Voltage	100-277Vac 50/60Hz
Driver Brand	China Brand Driver
PF	≥0.9
THD	≤20%
Optional Accessory	Surge protector / Motion sensor
Viewing Angle	160°
Waterproof Rating	WET (IP65)

**Materials**

LED Brand	EPISTAR
LED Type	SMD2835 (0.5W)
LED QTY	165 PCS
Housing	Aluminum + PC
Housing color	White
Cover	Stripe lens


**Others**

Operating Temperature	-20℃ TO 45℃
Operating Humidity	20%-90% RH
Storage Temperature	-30℃ TO 80℃
Storage Humidity	10%-95% RH
Application	Indoor / Outdoor
Safety Certification	UL
Warranty Time	5 Years

## Package

**Lamp Net Weight: 2.0 KG / PC**

	Size	Qty / Carton	Gross Weight / Carton
Inner box	280*270*175 MM	1 PC	2.4 KG
Outer box	560*370*300 MM	4 PCS	10.6 KG



## Notice For User

- ◆ Please turn off power before install or change assembly parts.
- ◆ The input voltage and lamps should be matched, after connecting the power line, Please make sure the wiring section is insulated.
- ◆ No-professionals, must not install and disassemble the lamps.

## Trouble Shootings

Troubles	Check points
Flickering of the light	Turn off the power and turn on again in 3 minutes. If same phenomena occur, then call agencies.
Out of working	Please check the connection.